

# DRIP OIL Premium

## Premium Irrigation Well Lubricant

### General Description

Drip Oil Premium is ultra refined, ultra clear Group 2 base oil. It has the proper stable viscosity for all current drip oilier used to lubricate bearings found on vertical shaft driven deep well turbine pumps.

Drip Oil Premium contains no harmful additives that may contaminate underground water supplies. The very high viscosity index minimizes changes in viscosity due to temperature variations. This results in a consistent flow of lubrication.

Please note that some states or areas may require the use of food grade drip oil. Drip Oil Premium is not H-1 registered for incidental food contact, as would be required in these cases. Cenex White Packer Oil would be recommended to meet those requirements

### Features and Benefits

**High Viscosity Index:** High viscosity index minimizes viscosity changes related to temperature variations. Ultra refined Group 2 base oil with no harmful additives to contaminate ground water.

**Good Cold Flow:** excellent low temperature fluidity for use at temperature extremes.

PDS-061-05

### Application

Drip Oil Premium is recommended for use on deep well turbine pumps that are shaft driven and equipped with a drip oiling mechanism.

### Typical Customer

Farming operations dependent on irrigation pumps as a source of water for crops.

### Typical Properties

API Gravity	33.8
Viscosity @ 40°C, cSt (SUS)	22.2 (106)
Viscosity @ 100°C, cSt (SUS)	4.0 (40)
Viscosity Index	99
Pour Point	5°F
Color	Clear

The typical properties reflect general characteristics, not manufacturing specifications. Normal batch-to-batch variations should be expected.

### Health & Safety

A complete material safety data sheet is available upon request. Avoid prolonged or repeated skin contact. Wash clothing and exposed areas with soap and water.

# Product Information Sheet

## DRIP OIL Irrigation Well Lubricant

### DESCRIPTION:

Drip Oil is a premium paraffic Group 1 base oil. It is a light straw color and the proper viscosity for drip oil used to lubricate bearings found on vertical shaft driven deep well turbine pumps equipped with a drip oiler.

Drip Oil is highly refined base oil that contains no harmful additives that may contaminate underground water supplies. The naturally high viscosity index will provide consistent flow with temperature variations.

Please note that some states or areas may require the use of food grade drip oil. Drip Oil is not H-1 registered for incidental food contact, as would be required in these cases. Cenex White Packer Oil would be recommended to meet those requirements.

### APPLICATION:

Drip Oil is recommended for use on deep well turbine pumps that are shaft driven and equipped with a drip oiling mechanism.

### FEATURES AND BENEFITS:

The high viscosity index means good temperature fluidity for use at temperature extremes.

Highly refined premium base oil with no harmful additives to contaminate ground water.

### DRIP OIL Typical Properties

API Gravity	Color	cSt at 40°C	cSt at 100°C	Viscosity Index
32.7	Light Straw	20.1	4.0	92

Typical properties reflect general characteristics, not manufacturing specifications. Variations should be expected.

### HEALTH & SAFETY:

A complete Material Safety Data Sheet is available upon request. Avoid prolonged or repeated skin contact. Wash clothing and exposed areas with soap and water.